

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((vladimir near3 sachenko) or (timmm near3 falter) or (martin near3 huvar)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:45
S3	299	(sap adj aktiengesellschaft). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:46
S7	5	(sap adj aktiengesellschaft). as. (web with service).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:49
S8	78	((web adj service) with client with proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:54
S9	48	((web adj service) with client with proxy) ((description or context) with (web adj service))(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:58
S10	24	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc \$4 or generat\$4) with (client) with (proxy)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 15:04
S11	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc \$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 17:35

S12	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5)(implement\$6)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 13:39
S13	3	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5)(implement\$6)(@ad< "20031230") (X?509)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/04 16:11
S14	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59
S15	7	S14 wrap\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59
S19	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:35
S20	2	S19 and (regenerat\$ or recreat\$ or re?generat\$4 or re?create)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:08
S21	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:09

S25	11	((web adj service) with client) and ((re?start\$4 or restart\$4) same session) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:11
S26	2475	709/230.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:10
S27	5	709/230.cds. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:12
S28	7324	(726/2-21).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S29	14	(726/2-21).cds. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:16
S30	5	(726/2-21).cds. ((web adj service) with client with proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S31	88	(709/201-237).cds. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:17
S32	5	(709/201-237).cds. ((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:18

S35	4	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(session) (certificate or X?509) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:38
S37	5	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(plug near2 play) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:15
S38	16	((select\$4 or choos\$4 or set \$4 or config\$8) with authenticat\$4 with type) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:50
S39	3	((select\$4 or choos\$4 or set \$4 or config\$8) with authenticat\$4 with type with client) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:52
S40	62	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:53
S41	34	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:54
S42	34	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client)(implement\$6 with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:55
S47	15	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:19

S50	5	(web adj service)((regenerat\$4 or re?generat\$4 or re?creat\$4 or recreat\$4 or reproduc\$4 or re?produc\$4) with (web service))(client proxy)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:24
S53	406	(web adj service)(authenticat\$4 or certificat\$6 or X?509)((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client)(protocol session implement\$6)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30
S54	51	(web adj service)(authenticat\$4 or certificat\$6 or X?509)((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client with proxy)(protocol session implement\$6)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30
S55	48	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)(implement\$7 with (web adj service))(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 16:43
S56	1	"60406786"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 15:39
S57	145	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S58	65	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4))(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:25
S59	97	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design))(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:26

S60	97	((web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:28
S62	37	((web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang\$4 or config\$7)) with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:30
S64	91	((web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang\$4 or config\$7)) with ((web adj service) or (client with proxy))) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S65	54	S64 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:36
S66	25	S64 not S62 not (accenture). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 07:43
S71	240	((web adj service) with client with proxy) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21
S72	117	((web adj service) with client with proxy)(protocol with implement\$6) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21

S73	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:22
S75	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:25
S76	53	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchang\$4)(ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26
S77	47	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchang\$4)(security)(ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26
S78	35	("20030014733" "20030204645" "2003023477" "20040030627" "20040044656" "20040139151" "20040221017" "20040267927" "20050015491" "20050086664" "20050096960" "20050097178" "6560633" "7127700" "7159224" "7246358" "7284039" "7296022").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 09:25

S79	138	((web near service) with transport with protocol) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:02
S80	8	((web near service) with transport with protocol) (virtual near5 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:03
S81	5	((web near service) with transport with protocol) (virtual with (web near service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:08
S82	20	((web near service) with transport with protocol) (business near logic) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:32
S83	48	(web near2 service) (transport near3 protocol) (business near2 logic) (virtual near3 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 11:59
S84	2	"20060031850"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:02
S85	2	"6985939".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:08
S86	2	"20050278348"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:22
S87	51	(web near2 service) (transport near3 (protocol or layer))(business near2 (logic or method or object)) (virtual near3 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:30

S88	2547	((web adj service).dm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:06
S89	117	((web adj service) near5 (descript\$4) with (provider client)).dm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:08
S90	75	((web adj service) near5 (descript\$4) with (provider client)).dm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (((web near service) or protocol) near5 (business near logic)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:11
S92	13	((web adj service) near5 (descript\$4) with (provider client)).dm. AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:22
S93	31	((web adj service) near5 (descript\$4) with (provider client)) AND ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:31

S94	68	((web adj service) near5 (descript\$4)) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:49
S95	37	S94 not S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:49
S96	2	"7159224".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 14:18
S97	302	((web adj service) with protocol with (HTTP SOAP)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 17:15
S98	39	((web adj service) with protocol with (HTTP SOAP)) AND (web adj service with protocol).dm. AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 17:16
S99	2	"20060031850".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 09:40
S100	2	"6985939".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 09:46
S102	52	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 10:48

S103	35	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service))(port or (transport near protocol)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 10:49
S106	4	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service))((re \$2generat\$4 or re\$creat\$4) with (web adj service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 13:44
S107	4	("6985939" "20050044197").pn.	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 22:23
S108	36	((web adj service) (HTTP with SMTP with SOAP) WSDL) (abstract interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:08
S110	26	((web adj service) (HTTP with SMTP with SOAP) WSDL) (virtual interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:50
S111	3	S110 not S108	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:50
S112	2	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service))(client proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 09:16
S114	6	("6947943" "20060173985" "20040194105").pn.	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 16:42

S115	22	((web adj service) (HTTP with SMTP with SOAP) WSDL) (virtual interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:46
S116	36	((web adj service) (HTTP with SMTP with SOAP) WSDL) (abstract interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:47
S117	10	S115 not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:47
S118	38	((web adj service) (HTTP with SMTP with SOAP) WSDL) (interface transport bind\$4) ((generat\$4 or creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:54
S119	18	S118 not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:54
S120	38	((web adj service) (HTTP with SMTP with SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:15
S121	57	((web adj service) (HTTP SMTP SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16
S122	34	((web adj service).ab. (HTTP SMTP SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16

S123	13	S122 not S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16
S128	11	((HTTP SMTP SOAP WSDL) AND ((re\$2generat\$4 re \$3creat\$4) near5 (web adj service)) AND (@ad< "20031230" @rlad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:30
S130	90	((HTTP and SMTP and SOAP and WSDL) AND ((\$3generat \$4 \$3creat\$4) near5 (web adj service)) AND (@ad< "20031230" @rlad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:34
S131	68	((HTTP and SMTP and SOAP and WSDL) AND (abstract virtual) AND (protocol) AND ((\$3generat\$4 \$3creat\$4) near5 (web adj service)) AND (@ad< "20031230" @rlad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:35
S133	48	((HTTP and SMTP and SOAP and WSDL) AND (abstract virtual) AND (protocol with transport) AND ((\$3generat \$4 \$3creat\$4) near5 (web adj service)) AND (@ad< "20031230" @rlad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:35
S134	48	((web adj service) AND (authenticat\$4 near3 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:24
S135	3	((web adj service) same (authenticat\$4 near3 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:25
S136	7	((web adj service) same (authenticat\$4 near7 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:28

S137	3	((web adj service) same ((authenticat\$4 near3 (protocol method option)) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:32
S138	61	((web adj service) AND ((authenticat\$4 near5 (protocol method option)) with (icon image menu (drop adj down) (check adj box) (display\$4 GUI interface))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:34
S139	128	((web adj service) AND ((authenticat\$4 near5 (protocol method option type)) with (icon image menu (drop adj down) select\$4 choos\$3 cho\$4 (check adj box) (display\$4 GUI interface))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:45
S140	26	((web adj service) AND ((authenticat\$4 near5 (protocol method option type)) with (icon image menu (drop adj down) select\$4 choos\$3 cho\$4 (check adj box) (display\$4 GUI interface))) AND (@ad< "20031230") AND ((client server) with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:46
S141	34	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (protocol method option type algorithm way menu) same (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:40
S142	0	((web adj service) with authenticat\$4) AND (authenticat\$4 near4 dialog near3 box) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:32
S143	3	((web adj service) AND (authenticat\$4 near4 dialog near3 box) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:32

S144	32	(web adj service) AND (authenticat\$4 near4 dialog) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:41
S145	277	(web adj service) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S146	277	(web adj service) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S147	60	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S148	41	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:49
S149	13	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (protocol method type algorithm option) near7 (dialog menu set\$4 form box option) with (select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:50
S150	2	"7159224".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:46
S151	0	10/749735	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:40

S152	102	((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:44
S153	3	((web adj2 service) with client with proxy) AND ((transport near2 protocol) with interface) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:45
S154	27	((generat\$4 creat\$4 re\$2creat\$4 re\$2generat\$4) with (web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:48
S155	3	709/203.ccls. AND ((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:26
S156	4	713/170.ccls. AND ((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S157	5	709/230.ccls. AND ((web adj service) with authenticat\$4) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S158	6	713/170.ccls. AND ((web adj service) with authenticat\$4) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S159	99	(web near service) with (client near proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:29

S160	26	(web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:29
S162	1	(707/10.cds.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:36
S163	0	(717/100.cds.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:36
S164	10	"717"/\$.cds. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S165	6	"713"/\$.cds. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S166	46	"709"/\$.cds. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S167	23	"707"/\$.cds. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S175	0	(713/150.cds.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:04

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-------	------	--------------	-----	------------------	---------	------------

S168	0	((726"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S169	0	("726"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S170	0	("713"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S171	1	("717"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S172	0	("707"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S173	3	("709"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)))) .clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S174	0	((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)) same authenticat\$4) .clm.	US-PGPUB	OR	ON	2009/11/04 13:57

11/ 4/ 2009 3:27:59 PM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-749-735.wsp